DOCUMENT RESUME

ED 183 372 SE 029 957

TITLE	Studies in Mathematics, Volume XII. A Brief Course in Mathematics for Junior High School Teachers. Transparency Masters.
INSTITUTION	Stanford Univ., Calif. School Mathematics Study Group.
SPONS AGENCY	National Science Foundation, Washington, D.C.
PUB DATE	66
NOTE	248p.: These transparencies to be used with ED 143 552
EDRS PRICE	MF01/PC10 Plus Postage.
DESCRIPTORS	*Audiovisual Aids: Geometric Concepts: *Mathematics Education: Mathematics Instruction: *Mathematics Materials: Number Concepts: *Secondary School Teachers: Set Theory: *Teacher Education: *Transparencies
IDENTIFIERS	*School Mathematics Study Group

ABSTRACT

These masters are designed to be used in preparing transparencies for use with overhead projectors in conjunction with a School Mathematics Study Group publication for junior high school mathematics teachers. (MK)

STUDIES IN MATHEMATICS
VOLUME XII
A BRIEF COURSE IN MATHEMATICS FOR JUNIOR HIGH SCHOOL TEACHERS

Financial support for the School Mathematics Study Group has been provided by the National Science Foundation.

PURPOSE

These masters are designed to be used in preparing completed projectuals (transparencies) for use with overhead projectors in conjunction with the School Mathematics Study Group publication, Studies in Mathematics, Volume XII; A Brief Course in Mathematics for Junior High School Teachers. This text develops the basic content necessary to understand and teach the material covered in the seventh grade SMSG text, Mathematics for Junior High School, Volume I.

Some of the projectuals ask questions and provide space for answers to be written following class discussion.

PREPARATION OF PROJECTUALS

For the proper use of these masters in preparing the individual sheets for the projectuals, consult the directions supplied with your own copying machine. The directions for mounting the sheets in each projectual are given in detail here.

To help in assembling, each master sheet is labeled in the top center. The first number indicates the chapter; the second number indicates the position of the projectual within the sequence for the chapter. The sheet labeled BASIC for each numbered projectual is to be permanently attached to the mount. The others are to be hinged on the side indicated, LEFT, RIGHT, or BOTTOM.

When assembling each projectual, be sure the registration marks on the individual sheets coincide before the sheets are attached to the mount. The small numbers in the upper right or left indicate the position of the sheet within the sequence of overlays for the particular projectual. When more than one overlay is used in a projectual, the order is usually obvious: (1) LEFT, (2) RIGHT, (3) BOTTOM. In a few projectuals each individual overlay needs to be removed before the next is used.

Topics for which masters are included are listed on the next page. In each case the number of sheets for the completed projectual is indicated.

TOPICS INCLUDED ON MASTERS

Chapter	Position in Chapter Sequence	Number of Sheets in Projectual	Topic
1	- 1	4	Sets
1	- 2	4	One-to-one correspondence
1	- 3	3	Equal sets
1	- 4	3	Equivalent sets
1	- 5	3	Subsets
1	- 6	3	Number of Subsets
1	- 7	3	Union and intersection
1	- 8	4	Solution sets for open sentences
1	- 9	4	Union
1	- 10	4	Intersection
1	- 11	4	Compound number sentences
2	- 1	4	Grouping
2	- 2	3	Counting using numerals in different bases
2	- 3	3	Place value
2	- 4	4	Conversions from one base to another
3	- 1	3	Base five tables
3	- 2	4	Addition base five
3	- 3	4	Multiplication base five
3	- 4	3	Base three tables
3	- 5	1	Ordering numbers expressed in different bases
3	- 6	2	Addition table base eight

Chapter		Position in Chapter Sequence	Number of Sheets in Projectual	Topic
4	-	1	1	Binary operation I
4	-	2	1	Binary operation II
4	-	3	2	Binary operation *
4	-	4	3	Commutative property
4	-	5	3	Associative property
4	-	6	3	Identity element
4	-	7	3	Inverse elements
4	-	8	3	Clock arithmetic
4	-	9	3	Distributive property
4	-	10	2	Operation ANTH
5	-	1	1	Properties of the whole numbers
5	-	2	3	Rational numbers
5	-	3	3	The set of integers
5	-	4	3	Integers
5	-	5	4	Adding integers
6	-	1	3	Addition of rational numbers I
6	-	2	3	Addition of rational numbers II
6	-	3	4	Multiplication with integers
	-	1	2	Least common multiple
	-	2	2	Greatest common factor
	-	3	1	Prime factorization
	-	4	4	Sieve of Erathosthenes
	-	1	2	Expanded notation

Chapter		Position in Chapter Sequence	Number of Sheets in Projectual	Topic
9	-	1	2	Repeating decimals (1)
9	-	2	3	Repeating decimals (2)
9	-	3	3	Locating a rational and an irrational between two rationals
9	-	4	4	Locating $\sqrt{2}$
9	-	5	4	Locating π on the number line
10	-	1	4	Sketching
10	-	2	1	Solids
10	-	3	3	Property 1: Through any two points in space there is exactly one line
10	-	4	1	Lines determined by points
10	-	5	2	Property 2: If a line contains two different points of a plane
10	-	6	4	Property 3: Any three points not in the same straight line are in exactly one plane
10	-	7	3	Two lines in space
10	-	8	4	A line and a plane in space
10	-	9	1	Property 4: If the intersection of two different planes is not empty then the intersection is a line
10	-	10	1	Planes in space
11	-	1	4	Interior of angle ABC
11	-	2	4	Interior of triangle ABC
11	-	3	2	Lines, angles, rays and segments
11	-	4	1	Diagonals of polygons
11	-	5	2	Cylindrical surfaces
11	-	6	2	Conical surfaces

Chapter		Position in Chapter Sequence	Number of Sheets in Projectual	Topic
11	-	7	1	V - E + F = 2 (1)
11	-	8	1	V - E + F = 2 (2)
11	-	9	2	V - E + F = 2 (3)
11	-	10	4	V - E + F = 2 (4)
12	-	1	4	One-to-one correspondence
12	-	2	4	Precision-linear measurement
12	-	3	4	Angles of a triangle--180°
13	-	1	4	Area
13	-	2	4	Volume
13	-	3	3	Volume - $\frac{1}{2}$ inch precision

A SET IS A COLLECTION OF OBJECTS



SETS MAY BE NAMED BY LISTING THEIR ELEMENTS

A = { ▲, ●, ■, }

B = { a, b, c, }

C = { ▒, ▒, ▒, ▒, }

ONE-TO-ONE CORRESPONDENCE IS A PAIRING OF EACH ELEMENT OF ONE SET WITH AN ELEMENT OF A SECOND SET AND CONVERSELY.

A $\{ \blacktriangle, \bullet, \blacksquare \}$

B $\{ a, b, c \}$



THIS IS A ONE-TO-ONE CORRESPONDENCE BETWEEN SET A AND SET B.



THIS IS ANOTHER ONE-TO-ONE CORRESPONDENCE BETWEEN SET A AND SET B .



IS THIS A ONE-TO-ONE CORRESPONDENCE BETWEEN SET B AND SET C ?

EQUAL SETS ARE SETS WHICH CONTAIN EXACTLY THE SAME ELEMENTS.



$K = \{a, b, c\}$



$L = \{ b, a, c \}$

SET K EQUALS SET L

$K = L$



$M = \{1, 2, 3\}$

DOES SET L EQUAL SET M ?

DOES SET K EQUAL SET M ?

EQUIVALENT SETS ARE SETS WHICH MAY BE PLACED IN ONE-TO-ONE CORRESPONDENCE.

$M = \{a, b, c\}$ $N = \{1, 2, 3\}$



SETS M AND N ARE EQUIVALENT SETS.



$P = \{b, c, a\}$

ARE SETS **M** AND **P** EQUIVALENT SETS ?

ARE SETS **N** AND **P** EQUIVALENT SETS ?

ARE SETS **M** AND **P** EQUAL SETS ?

ARE ALL EQUAL SETS EQUIVALENT SETS?

SUBSETS



$A = \{1, 2, 3, 4, 5, 6, 7\}$



B $\{2,4,6\}$

EVERY ELEMENT OF B IS AN ELEMENT OF A.

B IS A SUBSET OF A.

$B \subset A$



C {7, 8, 9}

IS C A SUBSET OF A ?

HOW MANY SUBSETS ?

A 

$A = \{a, b, c\}$

$\{a, b, c\}$ $\{a, b\}$ $\{a\}$ $\emptyset$

$\{a, c\}$ $\{b\}$

$\{b, c\}$ $\{c\}$

$1 + 3 + 3 + 1 = 8$ SUBSETS

$$2^3 = 8$$

IN GENERAL, A SET OF n ELEMENTS HAS 2^n SUBSETS.


A
B

1 - 7 left

$A \cap B$



$A \cup B$



SOLUTION SETS FOR OPEN SENTENCES

REPLACEMENT SET:

$x \leq 3$



$2 + x = 5$



$x + 2 > 6$



{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10}

{0, 1, 2, 3}



{3}

{5, 6, 7, 8, 9, 10}

$\{2, 4, 6, 8, 10\}$

$\{2\}$

$\emptyset$

$\{6, 8, 10\}$

$\{0, 1, 2, 3 \ldots\}$

UNION

$A = \{3, 4, 5\}$



$B = \{1, 2, 3\}$



$C = \{2, 4, 6\}$



$AUC = \{2, 3, 4, 5, 6\}$

$D = \{9, 10\}$ $E = \{1, 3, 5, 7, 9\}$

AUD = 

AUE = 

INTERSECTION

$A = \{1, 2, 3, 4, 5, \}$



$$B = \{4, 5, 6, 7, 8\}$$



$$A \cap B = \{4, 5\}$$

$$C = \{1, 2\}$$



$$A \cap C = \{1, 2\}$$

$D = \{7, 9\}$ $E = \{2, 4, 6, 8, 10\}$

$A \cap D =$ 

$A \cap E =$ 

COMPOUND NUMBER SENTENCES

REPLACEMENT SET: $\{0, 1, 2, 3, \ldots\}$ (WHOLE NUMBERS)



NUMBER SENTENCE	SOLUTION SET
$X \geq 3$	$\{3, 4, 5, 6, \ldots\}$

$X < 7$ $\{0, 1, 2, 3, 4, 5, 6\}$

$X \geq 3$ AND $X < 7$ $\{3, 4, 5, 6\}$



$X \leq 1$ $\{0, 1\}$

$X \geq 3$ OR $X \leq 1$ $\{0, 1, 3, 4, 5, 6, \ldots\}$

$X \geq 3$ OR $X < 7$



$X \geq 3$ AND $X \leq$



$X \geq 3$ AND $X > 7$



GROUPING



by TENS

2 TENS

9 ONES

29 ten



by FOURS

1 four x four

3 four

1 one

131_{four}


by SEVEN
sevens
ones
seven

COUNTING

BASE TEN	1	2	3	4	5	6	7	8	9	10

BASE TWO 

BASE THREE 

BASE FOUR 

BASE FIVE 

1 11 100 101 110 111 1000 1001 1010

1 2 11 12 20 21 22 100 101

1 2 3 11 12 13 20 21 22



PLACE VALUE

BASE B	B^5	B^4	B^3	B^2	B^1	B^0
	B·B·B·B·B	B·B·B·B	B·B·B	B·B	B	1

BASE TWO					2	
BASE THREE					3	
BASE FOUR					4	
BASE FIVE					5	

32	16	8	4	1
243	81	27	9	1
1024	256	64	16	1
3125	625	125	25	1

BASE

BASE

CONVERSIONS

FROM BASE four TO BASE ten.



FROM BASE ten TO BASE four.



1231	1	2	3	1
	1	2	3	1
	64	32	12	1
	109			

235	3	2	2	3
	3223			

2103	2	1	0	3
	2	1	0	3
	128	16	0	3
	147			

188	2	3	3	0
	2330			

3022

209

BASE FIVE

ADDITION

+	0	1	2	3	4
0					
1					
2					
3					
4					

MULTIPLICATION

X	0	1	2	3	4
0					
1					
2					
3					
4					

0	1	2	3	4
1	2	3	4	10
2	3	4	10	11
3	4	10	11	12
4	10	11	12	13

0	0	0	0	0
0	1	2	3	4
0	2	4	11	14
0	3	11	14	22
0	4	13	22	31

ADDITION BASE FIVE

$$\begin{array}{r} 243_{\text{FIVE}} \\ +\,124_{\text{FIVE}} \\ \hline \end{array}$$

+	0	1	2	3	4
0	0	1	2	3	4
1	1	2	3	4	10
2	2	3	4	10	11
3	3	4	10	11	12
4	4	10	11	12	13

$12\ (3_{FIVE} + 4_{FIVE})$



$$110(40_{FIVE} + 20_{FIVE})$$

$$\frac{300}{422_{FIVE}}(200_{FIVE} + 100_{FIVE})$$

MULTIPLICATION BASE FIVE

$$\begin{array}{r} 324_{\text{FIVE}} \\ \times\ 3_{\text{FIVE}} \\ \hline \end{array}$$

×	0	1	2	3	4
0	0	0	0	0	0
1	0	1	2	3	4
2	0	2	4	11	13
3	0	3	11	14	22
4	0	4	13	22	31

$22 (3_{FIVE} \times 4_{FIVE})$



110 (3_{FIVE} x 20_{FIVE})



$$\frac{1400_{(3\text{FIVE} \times 300\text{FIVE})}}{2032_{\text{FIVE}}}$$



BASE THREE

ADDITION

+	0	1	2
0			
1			
2			

MULTIPLICATION

X	0	1	2
0			
1			
2			

0 1 2

1 2 10

2 10 11

0 0 0
0 1 2
0 2 11

COMPLETE WITH =, <, OR > .

40_{SIX} ▒ 100_{FIVE}

TO_{TWELVE} ▒ 1100_{FIVE}

1111_{TEN} ▒ 15_{TEN}

1120_{FOUR} ▒ 143_{SEVEN}

202_{SEVEN} ▒ 100_{TEN}

11111_{TWO} ▒ 37_{EIGHT}

200_{EIGHT} ▒ 231_{SEVEN}

10_{SIXTY} ▒ 10_{THIRTY}

112_{THREE} ▒ 1010_{TWO}

1010_{THREE} ▒ 162_{SEVEN}

+	0	1	2	3	4	5	6	7
0								
1								
2								
3								
4								
5								
6								
7								

0	1	2	3	4	5	6	7
1	2	3	4	5	6	7	10
2	3	4	5	6	7	10	11
3	4	5	6	7	10	11	12
4	5	6	7	10	11	12	13
5	6	7	10	11	12	13	14
6	7	10	11	12	13	14	15
7	10	11	12	13	14	15	16

BINARY OPERATION I

IF $2 \circ 5 = 6$

$3 \circ 3 = 5$

$4 \circ 7 = 10$

$1 \circ 2 = 2$

THEN $a \circ b$ _____

IF $3 \triangle 5 = 5$

$7 \triangle 1 = 7$

$6 \triangle 9 = 9$

$8 \triangle 8 = 8$

THEN $a \triangle b$ _____

BINARY OPERATION II

IF $3 \sim 4 = 10$

$1 \sim 3 = 5$

$3 \sim 0 = 6$

$5 \sim 1 = 11$

THEN $a \sim b =$ _____

IF $3 \sqcup 4 = 5$

$1 \sqcup 2 = 9$

$2 \sqcup 8 = 2$

$7 \sqcup 5 = 0$

THEN $a \sqcup b =$ _____

BINARY OPERATIONS *

*	A	B	C	D	E
A	D	E	A	B	C
B	E	A	B	C	D
C	A	B	C	D	E
D	B	C	D	E	A
E	C	D	E	A	B

$B * C =$ _____

$C * B =$ _____

$A * A =$ _____

$E * D =$ _____

$E * E =$ _____

$(A * B) * C =$ _____

$A * (B * C) =$ _____

COMMUTATIVE PROPERTY







AN OPERATION $\sim$ DEFINED ON A SET **M** IS SAID TO BE **COMMUTATIVE** IF FOR ANY ELEMENT **X** AND **Y** OF **M**:

$$X \sim Y = Y \sim X$$

ASSOCIATIVE PROPERTY

~	△	□	⊙	\
△	△	□	⊙	\
□	□	⊙	\	△
⊙	⊙	\	△	□
\	\	△	□	⊙



AN OPERATION $\sim$ DEFINED ON A SET **M** IS SAID TO BE **ASSOCIATIVE** IF FOR ANY ELEMENTS X, Y, AND Z OF **M**:

$$(X \sim Y) \sim Z = X \sim (Y \sim Z)$$

IDENTITY ELEMENT







AN ELEMENT $\triangle$ IS SAID TO BE AN **IDENTITY ELEMENT** FOR THE OPERATION DEFINED ON SET **M** IF FOR EACH X OF **M**:

$$X \sim \triangle = \triangle \sim X = X$$

INVERSE ELEMENTS

~	△	□	⊙	\
△	△	□	⊙	\
□	□	⊙	\	△
⊙	⊙	\	△	□
\	\	△	□	⊙



TWO ELEMENTS X AND Y OF THE SET M ARE SAID TO BE INVERSES OF EACH OTHER UNDER A BINARY OPERATION $\sim$ IF $X \sim Y = Y \sim X = \triangle$ WHERE $\triangle$ IS THE IDENTITY ELEMENT OF M.

CLOCK ARITHMETIC



ADDITION MOD 5

+	0	1	2	3	4
0					
1					
2					
3					
4					

MULTIPLICATION MOD 5

X	0	1	2	3	4
0					
1					
2					
3					
4					

0	1	2	3	4
1	2	3	4	0
2	3	4	0	1
3	4	0	1	2
4	0	1	2	3

0	0	0	0	0
0	1	2	3	4
0	2	4	1	3
0	3	1	4	2
0	4	3	2	1

DISTRIBUTIVE PROPERTY

+	0	1	2	3	4
0	0	1	2	3	4
1	1	2	3	4	0
2	2	3	4	0	1
3	3	4	0	1	2
4	4	0	1	2	3

X	0	1	2	3	4
0	0	0	0	0	0
1	0	1	2	3	4
2	0	2	4	1	3
3	0	3	1	4	2
4	0	4	3	2	1



$3 \times (4+2) = 3 \times \_\_$ $\quad = \_\_$

$(3 \times 4) + (3 \times 2) = \_\_ + \_\_$ $\quad = \_\_$

THE OPERATION X **DISTRIBUTES** OVER THE OPERATION + IF $A \times (B+C) = (A \times B)+(A \times C)$ FOR ALL ELEMENTS A, B, AND C OF **M.**



ANTH	I	V	H	R
I				
V				
H				
R				

4 - 10 Left

I V H R

V I R H

H R I V

R H V I


A
B
D
C

PROPERTIES OF THE WHOLE NUMBERS
(FOR WHOLE NUMBERS A, B, AND C)

COMMUTATIVE

$$A + B = B + A$$
$$A \cdot B = B \cdot A$$

ASSOCIATIVE

$$(A + B) + C = A + (B + C)$$
$$(A \cdot B) \cdot C = A \cdot (B \cdot C)$$

DISTRIBUTIVE

$$A \cdot (B + C) = A \cdot B + A \cdot C$$

ADDITIVE IDENTITY

$$0 + A = A + 0 = A$$

MULTIPLICATIVE IDENTITY

$$1 \cdot A = A \cdot 1 = A$$

RATIONAL NUMBERS

EQUATIONS	SOLUTIONS
$2x = 7$	
$9x = 4$	
$16x = 16$	

7/2
4/9
16/16

THE SET OF SOLUTIONS TO ALL EQUATIONS OF THE FORM $BX = A$, WHERE A AND B ARE COUNTING NUMBERS, IS THE SET OF POSITIVE RATIONAL NUMBERS.

THE SET OF INTEGERS

1, 2, 3, . . .

THE COUNTING NUMBERS

0,

THE NUMBER ZERO



THE OPPOSITES OF THE COUNTING NUMBERS

INTEGERS

EQUATIONS	SOLUTIONS
$2 + x = 7$	
$9 + x = 4$	
$16 + x = 16$	

5

-5

0

THE SET OF SOLUTIONS TO ALL EQUATIONS OF THE FORM $E + X = F$, WHERE E AND F ARE COUNTING NUMBERS, IS THE SET OF INTEGERS.

ADDING INTEGERS

$1 + -3 =$ ☐



$-2 + -1 =$ ☐



$-2 + -2 =$ ☐



5 - 5 Left





-3


0
1
2
0

ADDITION OF RATIONAL NUMBERS:

$$\frac{2}{3} + \frac{5}{8}$$

$\frac{2}{3}$ IS THE SOLUTION TO $3X = 2$

$$3 \cdot \frac{2}{3} = 2$$

$$8 \cdot \left(3 \cdot \frac{2}{3}\right) = 8 \cdot 2 = 16$$

$$\left(8 \cdot 3\right) \cdot \frac{2}{3} = 16$$

$\frac{5}{8}$ IS THE SOLUTION TO $8X = 5$

$$8 \cdot \frac{5}{8} = 5$$

$$3 \cdot \left(8 \cdot \frac{5}{8}\right) = 3 \cdot 5 = 15$$

$$\left(3 \cdot 8\right) \cdot \frac{5}{8} = 15$$

$(8 \cdot 3) \cdot \frac{2}{3} + (3 \cdot 8) \cdot \frac{5}{8} = 16 + 15$ ADDING EQUATIONS

$24 \cdot \frac{2}{3} + 24 \cdot \frac{5}{8} = 31$ MULTIPLICATION AND ADDITION OF WHOLE NUMBERS

$24\left(\frac{2}{3} + \frac{5}{8}\right) = 31$ DISTRIBUTIVE PROPERTY

BUT $24 \cdot \frac{31}{24} = 31$

THEREFORE $\frac{2}{3} + \frac{5}{8} = \frac{31}{24}$

ADDITION OF RATIONAL NUMBERS: $\frac{2}{3} + \frac{5}{8}$

$$\frac{2}{3}+\frac{5}{8} = \frac{2}{3}\cdot 1+\frac{5}{8}\cdot 1 \quad \text{MULTIPLICATION PROPERTY OF 1}$$

$$= \frac{2}{3}\cdot\frac{8}{8}+\frac{5}{8}\cdot\frac{3}{3} \quad \text{RENAMING 1}$$

$$= \frac{2\cdot 8}{3\cdot 8}+\frac{5\cdot 3}{8\cdot 3}$$

$= \frac{16}{24} + \frac{15}{24}$

DEFINITION OF MULTIPLICATION

MULTIPLICATION OF COUNTING NUMBERS

$= \frac{1}{24}(16 + 15)$

$= \frac{1}{24}(31)$ DISTRIBUTIVE PROPERTY

$= \frac{31}{24}$ ADDITION OF COUNTING NUMBERS

DEFINITION OF MULTIPLICATION

MULTIPLICATION WITH INTEGERS

$7+(-7)=0$ ADDITIVE INVERSE

$4\,[7+(-7)]=4\cdot 0=0$ MULTIPLICATION BY 4

$4\cdot 7+4\cdot(-7)=0$ DISTRIBUTIVE PROPERTY

BUT $4 \cdot 7 + -(4 \cdot 7) = 0$ ADDITIVE INVERSE

THEREFORE $\boxed{4 \cdot (-7) = -(4 \cdot 7) = -28}$

$-4[7+(-7)] = (-4) \cdot 0 = 0$ MULTIPLICATION BY -4

$(-4) \cdot 7 + (-4) \cdot (-7) = -(4 \cdot 7) + (-4) \cdot (-7) = 0$ DISTRIBUTIVE PROPERTY

BUT $-(4 \cdot 7) + (4 \cdot 7) = 0$ ADDITIVE INVERSE

THEREFORE $\boxed{(-4) \cdot (-7) = (4 \cdot 7) = 28}$

LEAST COMMON MULTIPLE

MULTIPLES OF 20 — C: {20, 40, 60, 80, 100, 120...}

MULTIPLES OF 30 — D: {30, 60, 90, 120, 150, ...}

MULTIPLES COMMON TO 20 AND 30

CnD: {60, 120, 180, ...}

LEAST COMMON MULTIPLE

l.c.m = 60

GREATEST COMMON FACTOR

FACTORS OF 20-A: {1,2,4,5,10,20}

FACTORS OF 30-B: {1,2,3,5,6,10,15,30}

FACTORS COMMON TO 20 AND 30-

$A \cap B$: {1,2,5,10}

GREATEST COMMON FACTOR

g. c. f. = 10

PRIME FACTORIZATION

PRIME FACTORIZATION OF 20: $2 \cdot 2 \cdot 5$

PRIME FACTORIZATION OF 30: $2 \cdot 3 \cdot 5$

g.c.f. = $2 \cdot 5 = 10$

l.c.m. = $2 \cdot 2 \cdot 3 \cdot 5 = 60$

SIEVE OF ERATOSTHENES

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100


②


③



EXPANDED NOTATION

$$0.7245 = \left(7 \times \frac{1}{10}\right) + \left(2 \times \frac{1}{100}\right) + \left(4 \times \frac{1}{1000}\right) + \left(5 \times \frac{1}{10000}\right)$$

$$= \left(7 \times \frac{1}{10}\right) + \left(2 \times \frac{1}{10^2}\right) + \left(4 \times \frac{1}{10^3}\right) + \left(5 \times \frac{1}{10^4}\right)$$

$$= (7 \times 10^{-1}) + (2 \times 10^{-2}) + (4 \times 10^{-3}) + (5 \times 10^{-4})$$

$.3412 \quad (3 \times \frac{1}{5}) + (4 \times \frac{1}{25}) + (1 \times \frac{1}{125}) + (2 \times \frac{1}{625})$

FIVE $(3 \times \frac{1}{5}) + (4 \times \frac{1}{5^2}) + (1 \times \frac{1}{5^3}) + (2 \times \frac{1}{5^4})$

$(3 \times 5^{-1}) + (4 \times 5^{-2}) + (1 \times 5^{-3}) + (2 \times 5^{-4})$

REPEATING DECIMALS (1)

$$
\begin{array}{r}
.1538461 \\
13\overline{)2.0000000} \\
13 \\
\hline
70 \\
65 \\
\hline
50 \\
39 \\
\hline
110 \\
104 \\
\hline
60 \\
52 \\
\hline
80 \\
78 \\
\hline
20 \\
13 \\
\hline
\end{array}
$$

$$\frac{2}{13} = .153846153846$$

70
65

50
39

110
104

6

REPEATING DECIMALS (2)

$N = .213\overline{213} \ldots$

$$1000N = 213.213\overline{213}\ldots$$

$$\underline{}$$
$$999N = 213.000\overline{000}\ldots$$

$$N = \frac{213}{999} = \frac{71}{333}$$

$$N = .47\overline{47}\ldots$$

LOCATING A RATIONAL AND AN IRRATIONAL NUMBER BETWEEN TWO RATIONAL NUMBERS.

$$3.272727\ldots$$

$$3.282828\ldots$$

RATIONAL :



IRRATIONAL : 3.2  275527555...

LOCATING $\sqrt{2}$



9 - 4 Left




BETWEEN 1.4 AND 1.5
WE CAN LOCATE 1.41


BETWEEN 1.41 & 1.42
WE CAN LOCATE 1.414



$3 < \pi < 4$

LOCATING π ON THE NUMBER LINE



$3.1 < \pi < 3.2$



$3.141 < \pi < 3.142$


3.14 < π < 3.15
3.1
3.14
3.15
3.2


A
D
B
C

10 - 1 Left



10 - 1 Right







TETRAHEDRON



RIGHT TRIANGULAR PRISM



RIGHT HEXAGONAL PRISM



RIGHT CIRCULAR CONE



THREE INTERSECTING PLANES

PROPERTY 1: THROUGH ANY TWO POINTS IN SPACE THERE IS EXACTLY ONE LINE.





LINES DETERMINED BY POINTS

NUMBER OF POINTS	NUMBER OF LINES
2	
3	
4	
5	
6	
n	



PROPERTY 2: IF A LINE CONTAINS TWO DIFFERENT POINTS OF A PLANE,



THEN THE LINE LIES IN THE PLANE.



PROPERTY 3: ANY THREE POINTS NOT IN THE SAME STRAIGHT LINE ARE IN EXACTLY ONE PLANE.






P

10 - 6 Bottom



TWO LINES IN SPACE



intersecting lines



parallel lines



SKEW LINES

A LINE AND A PLANE IN SPACE







$\ell \cap m = \ell$


ℓ
P
ℓ∩m=P



$$l \cap m = \emptyset$$

PROPERTY 4: IF THE INTERSECTION OF TWO DIFFERENT PLANES IS NOT EMPTY THEN THE INTERSECTION IS A LINE.



PLANES IN SPACE



INTERIOR OF ANGLE ABC (∠ABC)



HOW WOULD YOU DEFINE "INTERIOR OF ∠ABC" ?



A-SIDE OF $\overleftrightarrow{BC}$



∩ C-SIDE OF $\overleftrightarrow{AB}$

DOES THIS AGREE WITH YOUR DEFINITION?

INTERIOR OF TRIANGLE ABC ($\triangle ABC$)



HOW WOULD YOU DEFINE "INTERIOR OF $\triangle ABC$?"



INTERIOR $\angle A$



∩ INTERIOR ∠B



∩ INTERIOR ∠C

COULD WE USE THE INTERSECTION OF ANY TWO OF THESE SETS TO DEFINE THE INTERIOR ?

LINES, ANGLES, RAYS, AND SEGMENTS



$\overleftrightarrow{AB} \cap \Delta ABC = \overline{AB}$

$\overrightarrow{BA} \cap \overline{BC} = B$

$\overrightarrow{BA} \cup \overrightarrow{BF} =$ ____

$\overrightarrow{BA} \cup \overrightarrow{BF} =$ ____

$\overrightarrow{EB} \cup \overrightarrow{EF} =$ ____

203

$\triangle ABC \cap \overrightarrow{DE} =$ ____

$\triangle EBF \cap \triangle DEC =$ ____

$\triangle DEC \cap \overrightarrow{AB} =$ ____

204

DIAGONALS OF POLYGONS

NUMBER OF SIDES	NUMBER OF DIAGONALS
3	0
4	2
5	5
6	
7	
8	
• • •	
n	



CYLINDRICAL SURFACES













• P



• Q



• R



CONICAL SURFACES





$$V - E + F = 2 \qquad (1)$$



$$V - E + F = 2 \quad (2)$$




D
C
G
H
F
E
A
B

$V - E + F = 2$ (3)



$$V - E + F = 2 \qquad (4)$$



The overlays for transparency 11 - are to be removed in the order, LEFT, RIGHT, BOTTOM.

11 - 10 Right



11 - 10 Bottom



ONE-TO-ONE CORRESPONDENCE


P



TO EACH POINT X ON $\overline{MN}$ THERE CORRESPONDS A POINT X' ON $\overline{RS}$



TO EACH POINT ON $\overline{RS}$ THERE CORRESPONDS A POINT Y' ON $\overline{MN}$

PRECISION - LINEAR MEASUREMENT



TO ONE-INCH PRECISION

AB IS 4," OR

AB IS $(4 \pm \frac{1}{2})$"



TO ONE-HALF INCH PRECISION

AB IS $3\frac{1}{2}$", OR

AB IS $(3\frac{1}{2} \pm \frac{1}{4})$"



TO ONE-QUARTER INCH PRECISION

AB IS $3\frac{3}{4}''$, OR

AB IS $(3\frac{3}{4} \pm \frac{1}{8})''$

ANGLES OF A TRIANGLE -- 180°





$m(\angle a) = m.(\angle a')$

b′

, m (∠b) = m (∠b′)

$m(\angle a') + m(\angle b') + m(\angle c) =$

$m(\angle a) + m(\angle b) + m'(\angle c) =$

AREA





A



13 - 1 Bottom



VOLUME





1 cubic unit



$$B = (10 \times 4) = 40$$

$V = Bh = 40h = 40$ _____

= _____

VOLUME - $\frac{1}{2}$ INCH PRECISION



	MIN.	MEAS.	MAX.
LENGTH		$10\frac{1}{2}$	
WIDTH		$3\frac{1}{2}$	
HEIGHT		$5\frac{0}{2}$	
VOLUME		$\frac{11760}{64}$	
DIFF.		0	

$10\frac{1}{4}$

$3\frac{1}{4}$

$4\frac{3}{4}$

$\frac{10127}{64}$

$\frac{1140}{64}$

$10\frac{3}{4}$

$3\frac{3}{4}$

$5\frac{1}{4}$

$\frac{12900}{64}$

$\frac{1633}{64}$

GREATEST POSSIBLE ERROR FOR VOLUME IS
CU. IN. TRUE VOLUME IS $183\frac{46}{64}$ $25\frac{33}{64}$ CU. IN.